

Part Number	Description
0010240105	Cable housingfor 0374509001
A44W0F020	Motor drive;24V~;90°=30s
A44W0SF001	Motor drive;positioner;_24V~;90°=30s
A44W1F020	Motor drive;24V~;_90°=60s
A44W1SF001	Motor drive;positioner;24V~;90°=30s
A44W2F020	Motor drive;24V~;90°=120s
ADM322F122	Rotary drive 2/3pt24V; 90°=120s; 15Nm
ADM322HF122	Rotary drive 2/3pt Switch24V; 90°=120s; 15Nm
ADM322PF122	Rotary drive 2/3pt Pot.24V; 90°=120s; 15Nm
ADM322SF122	Rotary drive continuous24V; 90°=120s; 15Nm
ADM322SF152	Rotary drive continuous24V; 90°=30s; 15Nm
AK31P1F001	Pneumatic actuator;0.3-0.9bar
AK31P2F001	Pneumatic actuator;0.2-0.6bar
AK31P3F001	Pneumatic actuator;0.6-1.0bar
AK41P1F003	Pneumatic actuator;0.3-0.9bar
AK41P2F003	Pneumatic actuator;0.2-0.6bar
AK41P3F003	Pneumatic actuator;0.6-1.0bar
AK42PF003	Pneumatic actuator;0.3-0.9bar
AK43PF002	Pneumatic actuator;0.3-0.9bar
AKF112F122	Actuator;spring return;2pt24V;90°=90s;7Nm;
AKF113F122	Actuator;spring return;3pt24V;90°=90s;7Nm;
AKF113SF122	Actuator;spring posit'ner24V;90°=90s;7Nm;0-10V
AKM105F122	Rotary drive f. ball valve2/3pt;24V~;120s, 90°, 4Nm
AKM105SF132	Rotary drive f. ball valve24V;0-10V;90°=35/60/120s
AKM115F122	Rotary drive f. ball valve2/3pt;24V~;120s, 90°
AKM115SF132	Rotary drive f. ball valve24V;0-10V;90°=35/60/120s
AKM115SF152	Fast-action rotary drivef. ball valve with SUT 7Nm
ASF112F122	Actuator;spring return;2pt24V;90°=90s;7Nm;
ASF112F222	Actuator;spring return;2pt24V;90s;7Nm;contact aux.
ASF113F122	Actuator;spring return;3pt24V;90°=90s;7Nm;
ASF113SF122	Actuator;spring posit'ner24V;90°=90s;7Nm;0-10V
ASF122F122	Actuator;spring return;2pt24V~;90s;18Nm
ASF122F222	Actuator;spring return;2pt24V~;90s;18Nm;cont.auxil.
ASF123F122	Actuator;spring return;3pt24V~;90°=90s;18Nm
ASF123SF122	Actuator;spring;posit'ner;24V~;90°=90s;18Nm;0-10V
ASM105F122	Damper actuator 2/3pt24V~;90°=120s;5Nm
ASM105SF132	Damper actuator SUT24V;90°=35/60/120s;5Nm
ASM105SF152	Damper actuatorFast Drive 3s
ASM115F122	Damper actuator 2/3pt24V~;90°=120s;10Nm
ASM115SF132	Damper actuator SUT24V;90°=60/120s;10Nm
ASM115SF152	Damper actuatorFast Drive 6s
ASM124F122	Damper actuator 2/3pt24V~;90°=120s;18Nm
ASM124SF132	Damper actuator SUT24V~;90°=60/120s;15Nm
ASM134SF132	Damper actuator SUT24V~;90°=120/240s;30Nm
ASV115BF132E	VAV Compact BACnet MSTP, 300Pa, 30..120s
ASV115CF132D	VAV-CompactASV115, 150Pa, 30..120s

ASV115CF132E	VAV-CompactASV115, 300Pa, 30..120s
ASV115CF132I	VAV-CompactASV115, 150Pa, 30..120s
ASV115CF132K	VAV-CompactASV115, 300Pa, 30..120s
ASV115CF152D	VAV-CompactASV115, 150Pa, 3..15s
ASV115CF152E	VAV-CompactASV115, 300Pa, 3..15s
ASV205BF132E	VAV Compact BACnet MSTP, 300Pa, 30..105s, 5Nm
ASV215BF132E	VAV Compact BACnet MSTP, 300Pa, 60..105s, 10Nm
ASV215BF152D	VAV Compact BACnet MSTP, 150Pa, 3..15s, 10Nm
ASV215BF152E	VAV Compact BACnet MSTP, 300Pa, 3..15s, 10Nm
AVF125SF132	Valvedrive;spring;SUT24V~;8mm=60/120s;0-10V;NC
AVF125SF232	valvedrive;spring;SUT24V~;8mm=60/120s;0-10V;NO
AVF234SF132	Valve drive SUTwith spring return action
AVF234SF132-5	Valve drive;spring ret;posNC; for DN15-50;V6/B6
AVF234SF132-6	Valve drive;spring ret;posNC; for DN65-150;V6/B6
AVF234SF132U	Valve drive SUTwith spring return, UL
AVF234SF232	Valve drive SUTwith spring return action
AVF234SF232-5	Valve drive;spring ret;posNO; for DN15-50;V6/B6
AVF234SF232-6	Valve drive;spring ret;posNO; for DN65-150;V6/B6
AVF234SF232U	Valve drive SUTwith spring return, UL
AVM105F122	Valve drive24V~;8mm=120s;250N
AVM105SF132	Valve drive; SUT24V;8mm=35/60/120s;250N
AVM115F122	Valve drive24V~;8mm=120s;500N
AVM115SF132	Valve drive SUT24V;8mm=60/120s;500N
AVM115SF901	Valve drive SUT24V;10mm=80/160s;500N
AVM215SF132R	Valve drive SUT24V, 20mm, 500N
AVM234SF132	Valve drive;positioner;24Vfor valve DN 15-150 VU/BU
AVM234SF132-5	Valve drive;positioner;24Vfor valve DN 15-50 V6/B6
AVM234SF132-6	Valve drive;positioner;24Vfor valve DN 60-150 V6/B6
AVM234SF132U	Valve drive;positioner;24Vfor valve DN 15-150 VU/BU
AVM321F112	Valve drive 2/3Pt1000N; 24V; 8mm
AVM321SF132	Valve drive SUT1000N; 24V; 8mm
AVM322F122	Valve drive 2/3Pt1000N; 24V; 20mm
AVM322F122R	Valve drive 2/3PtRetrofit,1000N; 24V; 20mm
AVM322SF132	Valve drive SUT1000N; 24V; 20mm
AVM322SF132R	Valve drive SUTRetrofit, 1000N; 24V; 20mm
AVN224SF132	Valve drive saf. function:SR_NC for DN15-150, VU/BU
AVN224SF132-5	Valve drive saf. function:SR_NC for DN15-50, V6/B6
AVN224SF132-6	Valve drive saf. function:SR_NC for DN65-150, V6/B6
AVN224SF232	Valve drive saf. function:SR_NO for DN15-150, VU/BU
AVN224SF232-5	Valvedrive safety functionSR_NO; for DN15-50, V6/B6
AVP142F001	Pneumatic valve drive 0.3-0.9bar;w/o silicone
AVP242F001	Pneumatic valve driveFull ranges 8mm stroke
AVP242F021	Pneumatic valve driveFull ranges 20mm stroke
AVP243F021	Pneumatic valve driveFull ranges 20mm stroke
AVP243F031	Pneumatic valve driveFull ranges 40mm stroke
AVP244F021	Pneumatic valve driveFull ranges 20mm stroke
AVP244F031	Pneumatic valve driveFull ranges 40mm stroke

AXM217F202	Small motor drive; 2-3 point; 24V~; 6,3mm
AXM217SF402	Motor drive units valves24V~; 0-10V; 6mm
AXM217SF404	Motor drive units valves24V~; 0-10V; 6mm; autostro
AXS215SF122	Thermal drive+positioner24V;NC;2m;adjustable
AXS215SF122B	Thermal drive+positioner24V;NC;2m;adjustable, bl
AXS215SF222	Thermal drive+positioner24V;NO;2m;adjustable
AXS215SF222B	Thermal drive+positioner24V;NO;2m;adjustable, bl
AXT201F112	Thermal valve drive24V;NC;L=0.8m;2Pkt;wh;90N
AXT211F102	Thermal valve drive24V;NC;outcable;2Pkt;wh
AXT211F102B	Thermal valve drive24V;NC;outcable;2Pkt;bl
AXT211F112	Thermal valve drive24V;NC;L=1m;2Pkt;wh
AXT211F112B	Thermal valve drive24V;NC;L=1m;2Pkt;bl
AXT211F112M	Thermal valve drive24V;NC;L=1m;2Pkt;wh,man
AXT211F192	Thermal valve drive24V;NC;w.outcabel;2Pkt;wh
AXT211F202	Thermal valve drive24V;NO;outcable;2Pkt;wh
AXT211F212	Thermal valve drive24V;NO;L=1m;2Pkt;wh
AXT211HF112	Thermal valve drive24V;NC;L=1m;2Pkt;wh, HK
AXT211HF212	Thermal valve drive24V;NO;L=1m;2Pkt;wh, HK
BKR015F310-FF	3-way control ball valvePN40, DN15, kvs6.3, 90°
BKR015F320-FF	3-way control ball valvePN40, DN15, kvs4, 90°
BKR015F330-FF	3-way control ball valvePN40, DN15, kvs2.5, 90°
BKR015F340-FF	3-way control ball valvePN40, DN15, kvs1.6, 90°
BKR020F310-FF	3-way control ball valvePN40, DN20, kvs6.3, 90°
BKR020F320-FF	3-way control ball valvePN40, DN20, kvs4, 90°
BKR025F310-FF	3-way control ball valvePN40, DN25, kvs10, 90°
BKR032F310-FF	3-way control ball valvePN40, DN32, kvs16, 90°
BKR040F310-FF	3-way control ball valvePN40, DN40, kvs25, 90°
BKR050F310-FF	3-way control ball valvePN40, DN50, kvs40, 90°
BKRA015F310	Regulat. 3-way ball valvePN40, DN15, kvs6.3, male
BKRA015F320	Regulat. 3-way ball valvePN40, DN15, kvs4, male
BKRA015F330	Regulat. 3-way ball valvePN40, DN15, kvs2.5, male
BKRA015F340	Regulat. 3-way ball valvePN40, DN15, kvs1.6, male
BKRA020F310	Reguat. 3-way ball valvePN40, DN20, kvs6.3, male
BKRA020F320	Regulat. 3-way ball valvePN40, DN20, kvs4, male
BKRA025F310	Regulat. 3-way ball valvePN40, DN25, kvs10, male
BKRA032F310	Regulat. 3-way ball valvePN40, DN32, kvs16, male
BKRA040F310	Regulat. 3-way ball valvePN40, DN40, kvs25, male
BKRA050F310	Regulat. 3-way ball valvePN40, DN50, kvs40, male
BQE065F300	Three-way flanged valvePN16, DN65, kvs63, 20mm
BQE080F300	Three-way flanged valvePN16, DN80, kvs100, 20mm
BQE100F300	Three-way flanged valvePN16, DN100, kvs160, 40mm
BQE125F300	Three-way flanged valvePN16, DN125, kvs220, 40mm
BQE150F300	Three-way flanged valvePN16, DN150, kvs320, 40mm
BUG015F304	Three-way flanged valvePN16/25, DN15, kvs4, 20mm
BUG015F304S	Three-way flanged valvePN16/25, DN15, kvs4, 20mm, Si
BUG015F314	Three-way flanged valvePN16/25, DN15, kvs2.5, 20mm
BUG015F314S	Three-way flanged valvePN16/25, DN15, kvs2.5, 20mm

BUG015F324	Three-way flanged valvePN16/25, DN15, kvs1.6, 20mm
BUG015F324S	Three-way flanged valvePN16/25, DN15, kvs1.6, 20mm
BUG015F334	Three-way flanged valvePN16/25, DN15, kvs1, 20mm
BUG015F334S	Three-way flanged valvePN16/25, DN15, kvs1, 20mm, Si
BUG020F304	Three-way flanged valvePN16/25, DN20, kvs6.3, 20mm
BUG020F304S	Three-way flanged valvePN16/25, DN20, kvs6.3, 20mm
BUG025F304	Three-way flanged valvePN16/25, DN25, kvs10, 20mm
BUG025F304S	Three-way flanged valvePN16/25, DN25, kvs10, 20mm
BUG032F304	Three-way flanged valvePN16/25, DN32, kvs16, 20mm
BUG032F304S	Three-way flanged valvePN16/25, DN32, kvs16, 20mm, Si
BUG040F304	Three-way flanged valvePN16/25, DN40, kvs25, 20mm
BUG040F304S	Three-way flanged valvePN16/25, DN40, kvs25, 20mm, Si
BUG050F304	Three-way flanged valvePN16/25, DN50, kvs40, 20mm
BUG050F304S	Three-way flanged valvePN16/25, DN50, kvs40, 20mm, Si
BUG065F304	Three-way flanged valvePN25, DN65, kvs63, 40mm
BUG065F304S	Three-way flanged valvePN25, DN65, kvs63, 40mm, Si
BUG065F316	Three-way flanged valvePN16, DN65, kvs63, 40mm
BUG065F316S	Three-way flanged valvePN16, DN65, kvs63, 40mm, Si
BUG080F304	Three-way flanged valvePN25/16, DN80, kvs100, 40mm
BUG080F304S	Three-way flanged valvePN25/16, DN80, kvs100, 40mm
BUG100F304	Three-way flanged valvePN25/16, DN100, kvs160, 40mm
BUG100F304S	Three-way flanged valvePN25/16, DN100, kvs160, 40mm
BUG125F304	Three-way flanged valvePN25, DN125, kvs250, 40mm
BUG125F304S	Three-way flanged valvePN25, DN125, kvs250, 40mm, Si
BUG150F304	Three-way flanged valvePN16, DN150, kvs340, 40mm
BUG150F304S	Three-way flanged valvePN16, DN150, kvs340, 40mm, Si
BUL010F300	Small 3-way valve; DN10PN16; G1/2A; Kvs=1.6;=%
BUL010F310	Small 3-way valve; DN10PN16; G1/2A; Kvs=1.0;=%
BUL010F320	Small 3-way valve; DN10PN16; G1/2A; Kvs=0.63;=%
BUL010F330	Petite vanne 3voies; DN10PN16; G1/2A; Kvs=0.40;=%
BUL010F400	Small 3-way valve; DN10G1/2A; Kvs=1.6;=%; Bypass
BUL010F410	Small 3-way valve; DN10G1/2A; Kvs=1.0;=%; Bypass
BUL010F420	Small 3-way valve; DN10G1/2A; Kvs=0.63;=%; Bypass
BUL010F430	Small 3-way valve; DN10G1/2A; Kvs=0.40;=%; Bypass
BUL010F600	Small 3-way valve; DN10D=15; Kvs=1.6;=%; compr. fit
BUL010F610	Small 3-way valve; DN10D=15; Kvs=1.0;=%; compr. fit
BUL010F620	Small 3-way valve; DN10D=15; Kvs=0.63;=%; compr. fit
BUL010F630	Small 3-way valve; DN10D=15; Kvs=0.4;=%; compr. fit
BUL015F300	Small 3-way valve; DN15PN16; G3/4A; Kvs=4.0;=%
BUL015F310	Small 3-way valve; DN15PN16; G3/4A; Kvs=2.5;=%
BUL015F400	Small 3-way valve; DN15G3/4A; Kvs=4.0;=%; Bypass
BUL015F410	Small 3-way valve; DN15G3/4A; Kvs=2.5;=%; Bypass
BUL020F300	Small 3-way valve; DN20PN16; G3/4A; Kvs=5.1;=%
BUL020F400	Small 3-way valve; DN20G3/4A; Kvs=5.1;=%; Bypass
BUN015F300	3way valveDN15; kvs=4.0; 8mm;=%;
BUN015F310	3way valveDN15; kvs=2.5; 8mm;=%;
BUN015F320	3way valveDN15; kvs=1.6; 8mm;=%;

BUN015F330	3way valveDN15;kvs=1.0;8mm;=;
BUN020F300	3way valveDN20;kvs=6.3;8mm;=;
BUN025F300	3way valveDN25;kvs=10;8mm;=;
BUN032F300	3way valveDN32;kvs=16;8mm;=;
BUN040F300	3way valveDN40;kvs=22;8mm;=;
BUN050F200	3way valveDN50;kvs=40;8mm;lin.
BUN050F300	3way valveDN50;kvs=28;8mm;=;
BUS015F205	Three-way flanged valvePN40;DN15;Kvs=4.0
BUS015F215	Three-way flanged valvePN40;DN15;Kvs=2.5
BUS015F225	Three-way flanged valvePN40;DN15;Kvs=1.6
BUS020F205	Three-way flanged valvePN40;DN15;Kvs=6.3
BUS025F205	Three-way flanged valvePN40;DN15;Kvs=10
BUS032F205	Three-way flanged valvePN40;DN15;Kvs=16
BUS040F205	Three-way flanged valvePN40;DN15;Kvs=25
BUS050F205	Three-way flanged valvePN40;DN15;Kvs=40
BUS065F205	Three-way flanged valvePN40;DN15;Kvs=63
BUS080F205	Three-way flanged valvePN40;DN15;Kvs=100
BUS100F205	Three-way flanged valvePN40;DN15;Kvs=160
BUS125F305	Three-way flanged valvePN40;DN15;Kvs=220
BUS150F305	Three-way flanged valvePN40;DN15;Kvs=320
BUT010F200	Small 3-way valve;DN10PN16;G1/2A;Kvs=1;=lin
BUT010F400	Small 3-way valve;DN10G1/2A;Kvs=1.6;lin;Bypass
BUT010F410	Small 3-way valve;DN10G1/2A;Kvs=1.0;lin;Bypass
BUT010F420	Small 3-way valve;DN10G1/2A;Kvs=0.63;lin;Bypass
BUT015F210	Small 3-way valve;DN15PN16;G3/4A;Kvs=2.5;=lin
BUT015F400	Small 3-way valve;DN15G3/4A;Kvs=3.5;=lin;Bypass
BUT015F410	Small 3-way valve;DN15G3/4A;Kvs=2.5;=lin;Bypass
BUT020F200	Small 3-way valve;DN20PN16;G3/4A;Kvs=4.5;=lin
BUT020F400	Small 3-way valve;DN20G3/4A;Kvs=5.1;=lin;Bypass
DDL105F001	Differential press. switch0,05-0,5 KPa / 0,5-5 mbar
DEF025F200	Water butterfly valvePN16;DN25;Kvs=36
DEF032F200	Water butterfly valvePN16;DN32;Kvs=40
DEF040F200	Water butterfly valvePN16;DN40;Kvs=50
DEF050F200	Water butterfly valvePN16;DN50;Kvs=85
DEF065F200	Water butterfly valvePN16;DN65;Kvs=215
DEF080F200	Water butterfly valvePN16;DN80;Kvs=420
DEF100F200	Water butterfly valvePN16;DN100;Kvs=800
DEF125F200	Water butterfly valvePN16;DN125;Kvs=1010
DEF150F200	Water butterfly valvePN16;DN150;Kvs=2100
DEF200F200	Water butterfly valvePN16;DN200;Kvs=4000
DFC17B54F001	Pressostat;brass-sensor;_0-2.5b
DFC17B58F001	Pressostat;brass-sensor;_0-6.0b
DFC17B59F001	Pressostat;brass-sensor;_-1..5b
DFC17B76F001	Pressostat;brass-sensor;_0-10b
DFC17B78F001	Pressostat;brass-sensor;_0-16b
DFC17B79F001	Pressostat;brass-sensor;_16-32b
DFC17B96F001	Pressostat;brass-sensor;_0-25b

DFC17B97F001	Pressostat;brass-sensor;_25-50b
DFC17B98F001	Pressostat;brass sensor;_0-40b
DFC27B26F002	Pressostat;stainl.sensor;_-1..2,5b
DFC27B43F002	Pressostat;stainl.sensor;_0.5-6.0b
DFC27B46F002	Pressostat;stainl.sensor;_1-10b
DFC27B52F002	Pressostat;stainl.sensor;_2-16b
DSA140F002	Pressure monitor0,5...2,5 bar, brass
DSA143F002	Pressure monitor0,5...6 bar, brass
DSA146F002	Pressure monitor1...10 bar, brass
DSB138F001	Pressure monitor0-1,6bar;brass
DSB140F001	Pressure monitor0-2,5bar;brass
DSB143F001	Pressure monitor0-6bar;brass
DSB143F931	Pressure monitor0-6bar;brass
DSB146F001	Pressure monitor0-10bar;brass
DSB152F001	Pressure monitor6-16bar;brass
DSB158F001	Pressure monitor0-25bar;brass
DSB170F001	Pressure monitor5-40bar;brass
DSD134F102	Differential pressure switch
DSD137F002	Differential pressure switch
DSD140F002	Differential pressure switch
DSD143F002	Differential pressure switch
DSDI101F021	Diff. pressure transducer;24V AC/DC; 0-1.0b; 4-20mA
DSDI103F021	Diff. pressure transducer;24V AC/DC; 0-2.5b; 4-20mA
DSDI106F021	Diff. pressure transducer;24V AC/DC;0-6.0b; 4-20mA
DSDU101F021	Diff. pressure transducer;24V AC/DC;0-1.0b; 0-10V
DSDU103F021	Diff. pressure transducer;24V AC/DC;0-2.5b; 0-10V
DSDU106F021	Diff. pressure transducer;24V AC/DC;0-6.0b; 0-10V
DSF125F001	Pressure monitor-1-1,5bar; stainless
DSF127F001	Pressure monitor-1-5bar; stainless
DSF135F001	Pressure monitor0-0,6bar; stainless
DSF138F001	Pressure monitor0-1,6bar; stainless
DSF140F001	Pressure monitor0-2,5bar; stainless
DSF143F001	Pressure monitor0-6bar; stainless
DSF146F001	Pressure monitor0-10bar; stainless
DSF152F001	Pressure monitor0-16bar; stainless
DSF158F001	Pressure monitor0-25bar; stainless
DSF170F001	Pressure monitor15-40bar; stainless
DSH127F001	Pressure limiter;max-1-5bar; stainless
DSH143F001	Pressure limiter;max0,5-6bar; stainless
DSH146F001	Pressure limiter;max1-10bar; stainless
DSH152F001	Pressure limiter;max2-16bar; stainless
DSH158F001	Pressure limiter;max5-25bar; stainless
DSH170F001	Pressure limiter;max15-40bar; stainless
DSI203F002	Pressure transducer; 24V DC;0-2.5b; 4-20mA
DSI206F002	Pressure transducer; 24V DC;0-6.0b; 4-20mA
DSI210F002	Pressure transducer; 24V DC;0-10b; 4-20mA
DSI216F002	Pressure transducer; 24V DC;0-16b; 4-20mA

DSI225F002	Pressure transducer; 24V DC;0-25b; 4-20mA
DSL140F001	Pressure limiter;min0-2,5bar;brass
DSL143F001	Pressure limiter;min0-6bar;brass
DSL152F001	Pressure limiter;min6-16bar;brass
DSU203F002	Pressure transducer; 24V AC/DC;0-2.5b; 0-10V
DSU206F002	Pressure transducer; 24V AC/DC;0-6.0b; 0-10V
DSU210F002	Pressure transducer; 24V AC/DC;0-10b; 0-10V
DSU216F002	Pressure transducer; 24V AC/DC;0-16b; 0-10V
DSU225F002	Pressure transducer; 24V AC/DC;0-25b; 0-10V
EDL50F001	EnergyDataLogger50 for 50dp max, w/o GSM, w/o SW
EDL55F001	EnergyDataLogger55 GSM for50 dp max, w/o Software
EGE112F031	Enthalpy duct transducer;2x 0-10V
EGH102F001	Dew-point monitor+transduc95%rF;24V;0-10V;w/o cable
EGH102F101	Dew-pointmonitor EGH102F101
EGH110F041	RH+temp. duct transducer;2x4-20mA
EGH111F031	RH+temp. duct transducer;2x0-10V+Ni1000
EGH112F031	RH+temp. duct transducer;2x0-10V
EGH120F041	RH+temp. room transducer;wall mounting;2x4-20mA
EGH130F031	RH+temp. room transducer;wall mounting;2x0-10V
EGH681F031	RH+temp. room transducer;flush mounting;2x0-10V
EGP100F101	Diff.pressure transducer;±75Pa,0...10V,lin
EGP100F102	Diff.pressure transducer;±75Pa,0...10V,lin,gain
EGP100F111	Diff.pressure transducer;±75Pa,0...10V,lin,Disp
EGP100F112	Diff.pressure transducer;±75Pa,0...10V,lin,gain,Dis
EGP100F201	Diff.pressure transducer;±150Pa,0...10V,lin
EGP100F202	Diff.pressure transducer;±150Pa,0...10V,lin, gain
EGP100F211	Diff.pressure transducer;±150Pa,0...10V,lin,Disp
EGP100F212	Diff.pressure transducer;±150Pa,0..10V,lin,gain,Dis
EGP100F301	Diff.pressure transducer;150Pa,0...10V,lin
EGP100F302	Diff.pressure transducer;150Pa,0...10V,lin,sqr
EGP100F311	*
EGP100F312	Diff.pressure transducer;150Pa,0...10V,lin,sqr,disp
EGP100F401	Diff.pressure transducer;300Pa,0...10V,lin
EGP100F402	Diff.pressure transducer;300Pa,0...10V,lin,sqr
EGP100F411	*300Pa, 0...10V, lin, Disp
EGP100F412	Diff.pressure transducer;300Pa,0...10V,lin,sqr,disp
EGQ110F031	IAQ duct transducer; VOC;0-10V
EGQ120F031	IAQ room transducer; wallmounting;0-10V
EGQ212F031	CO2+temp. duct transducer;2x0-10V
EGQ220F031	CO2 room transducer; wallmounting;0-10V
EGQ222F031	CO2+temp. room transducer;wall mounting;2x0-10V
EGQ281F031	CO2 room transducer; flushmounting;0-10V
EGT130F031	Room temp. transducer; 0-10V
EGT301F031	Outdoor temp. transducer;0-10V
EGT301F102	Outdoor temp. sensor; Ni1000
EGT311F022	Clamp-on temp. sensor; Ni200
EGT311F031	Clamp-on temp. transducer;0-10V

EGT311F102	Clamp-on temp. sensor; Ni1000
EGT330F052	Room temp. sensor; wall mounting;Ni500
EGT330F102	Room temp. sensor; wall mounting;Ni1000
EGT332F102	Room temp. sensor; wall mounting;Ni1000;pot.2,5k
EGT335F102	Room temp. sensor; wall mounting;Ni1000;pot.2,5k+LED
EGT346F022	Duct temp. sensor; Ni200;-50-160°C;L=100mm
EGT346F031	Duct temp. transducer; 0-10V;L=100mm
EGT346F102	Duct temp. sensor; Ni1000;-50-160°C;L=100mm
EGT347F022	Duct temp. sensor; Ni200;-50-160°C;L=200mm
EGT347F031	Duct temp. transducer; 0-10V;L=200mm
EGT347F102	Duct temp. sensor; Ni1000;-50-160°C;L=200mm
EGT348F031	Duct temp. transducer; 0-10V;L=450mm
EGT348F102	Duct temp. sensor; Ni1000;-50-160°C;L=450mm
EGT353F101	Cable temp. sensor; NTC10k;-35-100°C;L=1.5M
EGT353F103	Cable temp. sensor; NTC10k;-35-100°C;L=3m
EGT353F110	Cable temp. sensor; NTC10k;-35-100°C;L=10m
EGT353F120	Cable temp. sensor; NTC10k;-35-100°C;L=20m
EGT354F102	Cable temp. sensor; Ni1000;-35-100°C;L=1M
EGT354F104	Cable temp. sensor; Ni1000;-35-100°C;L=3M
EGT354F111	Cable temp. sensor; Ni1000;-35-100°C;L=10M
EGT354F121	Cable temp. sensor; Ni1000;-35-100°C;L=20M
EGT355F902	Cable temp. sensor; Ni1000;-50-180°C;EL= 100mm;L=2M
EGT355F903	Cable temp. sensor; Ni1000;-50-180°C;EL= 150mm;L=2M
EGT356F102	Cable temp. sensor; Ni1000;-50-180°C;L=1M
EGT356F104	Cable temp. sensor; Ni1000;-50-180°C;L=3M
EGT356F111	Cable temp. sensor; Ni1000;-50-180°C;L=10M
EGT356F304	Cable temp. sensor; Ni200;-50-180°C;L=3M
EGT386F101	Room temp. sensor; flush mounting;Ni1000
EGT388F101	Room temp. sensor; flush mounting;Ni1000;pot.10k
EGT388F102	Room temp. sensor; flush mounting;Ni1000;pot.100Ohm
EGT392F102	Duct temp. sensor; Ni1000;-50-260°C;L=100mm
EGT401F102	Outdoor temp. sensor; Pt1000
EGT411F102	Clamp-on temp. sensor; Pt1000
EGT430F012	Room temp. sensor; wall mounting;Pt100
EGT430F102	Room temp. sensor; wall mounting;Pt1000
EGT446F012	Duct temp. sensor; Pt100;-50-160°C;L=100mm
EGT446F102	Duct temp. sensor; Pt1000;-50-160°C;L=100mm
EGT447F012	Duct temp. sensor; Pt100;-50-160°C;L=200mm
EGT447F102	Duct temp. sensor; Pt1000;-50-160°C;L=200mm
EGT456F012	Cable temp. sensor; Pt100;-50-180°C;L=1M
EGT456F102	Cable temp. sensor; Pt1000;-50-180°C;L=1M
EGT486F101	Room temp. sensor; flush mounting;Pt1000
EGT554F103	Cable temp. sensor; NTC22k;-35-100°C;L=3m
EGT686F101	Room temp. sensor; flush mounting;NTC10k
EGT688F101	Room temp. sensor; flush mounting;NTC10k;pot.10k
EXG100F001	Active potentiometer;24V;0-10V
EY-AS525F005	Autom.Station,modu525,24V,26-154 I/O, BACnet/IP,Web

EY-CM721F010	Comm. module moduComEIA485+232, Modbus/RTU (M)
EY-CM721F020	Comm. module moduComEIA485+232, M-Bus (M)
EY-CM731F020	Comm. module moduComM-Bus+EIA232, M-Bus (M)
EY-EM510F001	Remote I/O module, 24 V AC3 relays, 3 triacs
EY-EM511F001	Remote I/O module, 24 V acThree triacs
EY-EM512F001	Remote I/O module, 24 V acTwo triacs
EY-EM514F001	Remote I/O module 24VAC/DC4 rel., 6DO-FET, 4AO, 4UI
EY-EM515F001	Remote I/O module 24VAC/DC6 DO-FET, 4AO, 4UI
EY-FM164F001	Remote field module for modu225,4 DO(A-O-I)
EY-FM165F001	Remote field module for modu225 2 DO(A-O-I-II)
EY-FM170F001	Remote field module for modu225,4 AO
EY-FM174F001	Remote field module for modu225,16 DI
EY-IO530F001	I/O: Input module modu5308UI/8DI(universal/digital)
EY-IO531F001	modu531IO module 16DI
EY-IO532F001	modu532IO module 16UI
EY-IO533F001	I/O-Module 8UI/4DI/4SO
EY-IO534F001	modu534: IO module 8U/I galvanic seperation
EY-IO550F001	I/O: Output module modu5506,DO(relays)
EY-IO551F001	I/O: Output module modu551,16 DO(open collector)
EY-IO570F001	I/O:In/Out module modu570,8UI/4AO (Universal/Analog)
EY-IO571F001	modu571IO module 16 DI/DO
EY-IO572F001	modu572IO-module 8UI/4AO/3DI
EY-LM590F001	modu590LM-module 8novaLink
EY-LO625F001	LO:op. units- Double unitDBE (12DI/6DO/4AO)
EY-LO630F001	LO:LED signalling modu630,16 DI
EY-LO650F001	LO:Control unit with LEDmodu650,6DO(A-O-I)
EY-LO650F002	LO:Control unit with LEDmodu650,3DO(A-O-I-II)
EY-LO670F001	LO:Control unit with LEDmodu670,8DI/4AO
EY-OP840F001	Local control unit modu840for EY modulo 5 AS
EY-PS021F011	Power supply DIN-rail 85-264Vac/24Vdc 1,3A
EY-PS021F021	Power supply DIN-rail 85-264Vac/24Vdc 2,5A
EY-PS021F041	Power supply DIN-rail 85-264Vac/24Vdc 4A
EY-RC301F005	ecos301 - Room Controller;B-ASC,MS/TP,13I/O,4R,24V
EY-RC500F001	Room automation stationFour-way
EY-RC500F002	Room automation stationPlug-in terminals
EY-RC504F001	Room controller modularw/o COM Module
EY-RC504F011	Room controller modularKNX COM Module
EY-RC504F021	Room controller modularDALI COM Module
EY-RC504F041	Room controller modular,SMI COM module
EY-RC505F031	Room controller modularKNX, DALI COM Module
EY-RC505F051	Room controller modular,SMI, DALI COM module
EY-RC505F061	Room controller modular,KNX, SMI COM module
EY-RC505F071	Room controller modular,KNX, SMI, DALI
EY-RC505F081	Room controller modular2x DALI COM Module
EY-RC505F091	Room controller modular,2x SMI, DALI
EY-RC505F0A1	Room controller modular,KNX, 2x DALI
EY-RC505F0B1	Room controller modular,2x SMI

EY-RU210F001	ecos2 control unit,NTC,noframe
EY-RU211F001	ecos2 control unitNTC, dXs, no frame
EY-RU214F001	ecos2 control unit NTC,dXs, 2 buttons, no frame
EY-RU216F001	ecos2 control unit,dXs, 4 buttons, no frame
EY-RU241F001	ecos2 control unit, LCDNTC, dXs, no frame
EY-RU244F001	ecos2 control unit, LCDdXs, 2 buttons, no frame
EY-RU246F001	ecos2 control unit, LCDdXs, 4 buttons, no frame
EY-RU310F001	ecos5 control unit, LCDNTC, no frame
EY-RU311F001	ecos5 control unit, LCD,NTC, dXs, no frame
EY-RU314F001	ecos5 control unit,NTC, dXs, 2 buttons, no frame
EY-RU316F001	ecos5 control unit,NTC, dXs, 4 buttons, no frame
EY-RU341F001	ecos5 control unit,LCD,NTC,dXs, 2 buttons, no frame
EY-RU344F001	ecos5 control unit,LCD,NTC,dXs, 4 buttons, no frame
EY-RU344FOA1	ecos5 ctrl. unit bk,LCD,NTC,dXs, 4 buttons, no frame
EY-RU346F001	ecos5 control unit,LCD,NTC,dXs, 6 buttons, no frame
EY-RU365F001	ecoUnit365, white, touch,NTC, 6DI
EY-RU365F002	ecoUnit365, white, touch,NTC, 6DI, Bluetooth
EY-RU365FOA1	ecoUnit365, black, touch,NTC, 6DI
EY-RU365FOA2	ecoUnit365, black, touch,NTC, 6DI, Bluetooth
EY-RU382F001	ecoUnit382 - Room Operating Unit; for ecos 3
EY-SU306F001	Push-Button unit ecoUnit2/3, 6 buttons, no frame
EY-WS500F005	BACnet web servermoduWeb500, 24 V
EY-WS505F010	moduWeb Vision software800 DP,75 imag,25 users
EY-WS505F011	moduWeb Vision upgrade2500 DP,250 imag,100 users
EY-WS505F020	moduWeb Vision software2500 DP,250 imag,100 users
EY-WS506F100	moduWeb Vision Touch opt.incl. multiple resolution
FCCP200F010	Fume cupboard control panel
FXV3210F002	Elect.distributor 24V,10-Zheating/cooling, pump, LED
GZP220F001	VALVEDIMvalve sizing
GZS100F699	CASE SuiteDVD latest version
GZS150F010	CASE Suite Enterprise Licence
GZS150F011	CASE Suite Enterprise Licence, excluding maintenance
GZS150F020	CASE Suite EnterpriseTime licence
GZS150F021	CASE Suite PartnerTime licence
GZS150F022	CASE Suite DesignerTime licence
GZS150F199	CASE Suite - Support
HBC111F001	Humidistat for ducts;15-95%rF
HBC112F001	Humidistat for ducts;15-95%rF;2switches
HSC120F001	Room humidistat;Screw terminals
HSC120F010	Room humidistat;internal setting
NRT300F041	Room temp.contr;switched;24V;P(2pt);PI(3pt);white
NRT300F061	Room temp.contr;continuousPI;24V;2x 0-10V;white
PI10F001	PE-transducer0-10mb, 24V~, 0-20mA
RDB800F002	Control unit for flexotron800 V2, 11.5 x 9.5 cm
RDT405F201	Controller for ventilation24V~, 5 in- outputs
RDT410F201	Controller for ventilation24V~, 10 in- outputs
RDT808F012	Universal Controller, 24V~, 8 I/O, RS485

RDT808F212	Universal Controller, 24V~, 8 I/O, LCD, RS485
RDT815F012	Universal Controller, 24V~, 15 I/O, RS485
RDT815F022	Universal Controller, 24V~, 15 I/O, IP
RDT815F032	Universal Controller, 24V~, 15 I/O, IP, RS485
RDT815F212	Universal Controller, 24V~, 15 I/O, LCD, RS485
RDT815F222	Universal Controller, 24V~, 15 I/O, LCD, IP
RDT815F232	Universal Controller, 24V~, 15 I/O, LCD, IP, RS485
RDT828F012	Universal Controller, 24V~, 28 I/O, RS485
RDT828F022	Universal Controller, 24V~, 28 I/O, IP
RDT828F032	Universal Controller, 24V~, 28 I/O, IP, RS485
RDT828F212	Universal Controller, 24V~, 28 I/O, LCD, RS485
RDT828F222	Universal Controller, 24V~, 28 I/O, LCD, IP
RDT828F232	Universal Controller, 24V~, 28 I/O, LCD, IP, RS485
RLE150F100	Room-pressure controller;24V~/+/-50Pa
RLE152F001	Volume-flow controller continuous 1-100 Pa MA-SL
RLE152F002	Volume-flow controller continuous 2-200 Pa MA-SL
RLE152F003	Volume-flow controller continuous 4-400 Pa MA-SL
SGU100F010	Path-measuring transducer;span:0-0,5m;2-10V, SLC
SGU100F011	Path-measuring transducer;span:0-2m;2-10V, SLC
SVU100F005	Air-flow transducer24V~/0-1m/s;0-10V;v-prop.
TFL201F002	Frost monitor; -10?+15°C;L=3m Xsd fixed.
TFL201F022	Frost limiter;-10?+15°C; L=3m
TFL201F102	Frost monitor;-10?+15°C;L=1,5m Xsd fixed
TFL201F602	Frost monitor;-10?+15°C; L=6m Xsd fixed
TFL201F622	Frost limiter;-10?+15°C; L=6m
TFL611F201	Continuous frost monitor; 0...15°C; L= 2m
TFL611F601	Continuous frost monitor; 0...15°C; L= 6m
TRA421F212	Roomthermostat displayH/C;24V;ECO;time
TRT317F212	Electr. Roomthermostat24V;ECO
TRT327F212	Electr. RoomthermostatH/C;24V;ECO;C/O
TUC101F003	Universal thermostat TW; -10...50°C;L=1.6m
TUC102F001	Universal thermostat TW; 5...30°C;L=0.7m
TUC105F001	Universal thermostat TW; 15...95°C;L=0.7m
TUC106F001	Universal thermostat TW; 40...120°C;L=0.7m
TUC107F001	Universal thermostat TW; 50?130°C;L=0.7m
TUC108F001	Universal thermostat TW; 80...160°C; L=0.7m
TUC207F003	Safety temperature monitorSTW; 70...130°C; L=1.6m
TUC303F001	Temperature limiter TB; 15...60°C; L=0.7m
TUC307F001	Temperature limiter TB; 50...130°C; L=0.7m
TUC407F001	Safety temperature limiterSTB; 95?130°C; L=0.7m
TUC407F002	Safety temperature limiterSTB; 95?130°C; KL=0.7m
VDL010F200	Valveco compactPN25; DN10; 65-370l/h
VDL010F201	Valveco comp. meas. nipplePN25; DN10; 65-370l/h
VDL010F210	Valveco compactPN25; DN10; 30-200l/h
VDL010F211	Valveco comp. meas. nipplePN25; DN10; 30-200l/h
VDL015F200	Valveco compactPN25; DN15; 100-575l/h
VDL015F200H	Valveco compactPN25; DN15; 220-1330l/h

VDL015F201	Valveco comp. meas. nipplePN25; DN15; 100-575l/h
VDL015F201H	Valveco comp. meas. nipplePN25; DN15; 220-1330l/h
VDL015F210	Valveco compactPN25; DN15; 66-360l/h
VDL015F211	Valveco comp. meas. nipplePN25; DN15; 65-370l/h
VDL015F220	Valveco compactPN25; DN15; 30-200l/h
VDL015F221	Valveco comp. meas. nipplePN25; DN15; 30-200l/h
VDL020F200	Valveco compactPN25; DN20; 220-1330l/h
VDL020F201	Valveco comp. meas. nipplePN25; DN20; 220-1330l/h
VDL020F210	Valveco compactPN25; DN20; 160-990l/h
VDL020F210H	Valveco compactPN25; DN20; 300-1800l/h
VDL020F211	Valveco comp. meas. nipplePN25; DN20; 160-990l/h
VDL020F211H	Valveco comp. meas. nipplePN25; DN20; 300-1800l/h
VDL020F220	Valveco compactPN25; DN20; 100-575l/h
VDL020F221	Valveco comp. meas. nipplePN25; DN20; 100-575l/h
VDL025F200	Valveco compactPN25; DN25; 600-3609l/h
VDL025F201	Valveco comp. meas. nipplePN25; DN25; 600-3609l/h
VDL025F210	Valveco compactPN25; DN25; 280-1800l/h
VDL025F211	Valveco comp. meas. nipplePN25; DN25; 280-1800l/h
VDL032F200	Valveco compactPN25; DN32; 550-4001l/h
VDL032F201	Valveco comp. meas. nipplePN25; DN32; 550-4001l/h
VDL040F201	Valveco comp. meas. nipplePN25; DN40; 1370-9500l/h
VDL050F201	Valveco comp. meas. nipplePN25; DN50; 1400-11500l/h
VKAA015F300	Cut-off ball valvePN40, DN15, kvs9 male
VKAA020F300	Cut-off ball valvePN40, DN20, kvs17, male
VKAA025F300	Cut-off ball valvePN40, DN25, kvs22, male
VKAA032F300	Cut-off ball valvePN40, DN32, kvs35, male
VKAA040F300	Cut-off ball valvePN40, DN40, kvs68, male
VKAA050F300	Cut-off ball valvePN40, DN50, kvs96, male
VKAI015F300	On/off ball valvePN40, DN15, kvs15, 90°
VKAI020F300	On/off ball valvePN40, DN20, kvs22, 90°
VKAI025F300	On/off ball valvePN40, DN25, kvs22, 90°
VKAI032F300	On/off ball valvePN40, DN32, kvs35, 90°
VKAI040F300	On/off ball valvePN40, DN40, kvs68, 90°
VKAI050F300	On/off ball valvePN40, DN50, kvs96, 90°
VKR015F300-UU	2-way control ball valvePN40, DN15, kvs10, 90°
VKR015F310-UU	2-way control ball valvePN40, DN15, kvs6.3, 90°
VKR015F320-UU	2-way control ball valvePN40, DN15, kvs4, 90°
VKR015F330-UU	2-way control ball valvePN40, DN15, kvs2.5, 90°
VKR015F340-UU	2-way control ball valvePN40, DN15, kvs1.6, 90°
VKR015F350-UU	2-way control ball valvePN40, DN15, kvs1.0, 90°
VKR020F300-UU	2-way control ball valvePN40, DN20, kvs10, 90°
VKR020F310-UU	2-way control ball valvePN40, DN20, kvs6.3, 90°
VKR020F320-UU	2-way control ball valvePN40, DN20, kvs4, 90°
VKR025F300-UU	2-way control ball valvePN40, DN25, kvs16, 90°
VKR025F310-UU	2-way control ball valvePN40, DN25, kvs10, 90°
VKR025F320-UU	2-way control ball valvePN40, DN25, kvs6.3, 90°
VKR032F300-UU	2-way control ball valvePN40, DN32, kvs25, 90°

VKR032F310-UU	2-way control ball valvePN40, DN32, kvs16, 90°
VKR032F320-UU	2-way control ball valvePN40, DN32, kvs10, 90°
VKR040F300-UU	2-way control ball valvePN40, DN40, kvs40, 90°
VKR040F310-UU	2-way control ball valvePN40, DN40, kvs25, 90°
VKR040F320-UU	2-way control ball valvePN40, DN40, kvs16, 90°
VKR050F300-UU	2-way control ball valvePN40, DN50, kvs63, 90°
VKR050F310-UU	2-way control ball valvePN40, DN50, kvs40, 90°
VKR050F320-UU	2-way control ball valvePN40, DN50, kvs25, 90°
VKRA015F310	Regulat. 2-way ball valvePN40, DN15, kvs6.3, male
VKRA015F320	Regulat. 2-way ball valvePN40, DN15, kvs4, male
VKRA015F330	Regulat. 2-way ball valvePN40, DN15, kvs2.5, male
VKRA015F340	Regulat. 2-way ball valvePN40, DN15, kvs1.6, male
VKRA015F350	Regulat. 2-way ball valvePN40, DN15, kvs1, male
VKRA020F300	Regulat. 2-way ball valvePN40, DN20, kvs10, male
VKRA020F310	Regulat. 2-way ball valvePN40, DN20, kvs6.3, male
VKRA020F320	Regulat. 2-way ball valvePN40, DN20, kvs4, male
VKRA025F300	Regulat. 2-way ball valvePN40, DN25, kvs16, male
VKRA025F310	Regulat. 2-way ball valvePN40, DN25, kvs10, male
VKRA025F320	Regulat. 2-way ball valvePN40, DN25, kvs6.3, male
VKRA032F300	Regulat. 2-way ball valvePN40, DN32, kvs25, male
VKRA032F310	Regulat. 2-way ball valvePN40, DN32, kvs16, male
VKRA032F320	Regulat. 2-way ball valvePN40, DN32, kvs10, male
VKRA040F300	Regulat. 2-way ball valvePN40, DN40, kvs40, male
VKRA040F310	Regulat. 2-way ball valvePN40, DN40, kvs25, male
VKRA040F320	Regulat. 2-way ball valvePN40, DN40, kvs16, male
VKRA050F300	Regulat. 2-way ball valvePN40, DN50, kvs63, male
VKRA050F310	Regulat. 2-way ball valvePN40, DN50, kvs40, male
VKRA050F320	Regulat. 2-way ball valvePN40, DN50, kvs25, male
VQE065F300	Through flanged valvePN16, DN65, kvs63, 20mm
VQE080F300	Through flanged valvePN16, DN80, kvs100, 20mm
VQE100F300	Through flanged valvePN16, DN100, kvs160, 40mm
VQE125F300	Through flanged valvePN16, DN125, kvs220, 40mm
VQE150F300	Through flanged valvePN16, DN150, kvs320, 40mm
VUG015F304	Through flanged valvePN16/25, DN15, kvs4, 20mm
VUG015F304S	Through flanged valvePN16/25, DN15, kvs4, 20mm, Si
VUG015F314	Through flanged valvePN16/25, DN15, kvs2.5, 20mm
VUG015F314S	Through flanged valvePN16/25, DN15, kvs2.5, 20mm
VUG015F324	Through flanged valvePN16/25, DN15, kvs1.6, 20mm
VUG015F324S	Through flanged valvePN16/25, DN15, kvs1.6, 20mm
VUG015F334	Through flanged valvePN16/25, DN15, kvs1, 20mm
VUG015F334S	Through flanged valvePN16/25, DN15, kvs1, 20mm
VUG015F344	Through flanged valvePN16/25, DN15, kvs0.63, 20mm
VUG015F344S	Through flanged valvePN16/25, DN15, kvs0.63, 20mm
VUG015F354	Through flanged valvePN16/25, DN15, kvs0.40, 20mm
VUG015F354S	Through flanged valvePN16/25, DN15, kvs0.40, 20mm
VUG015F364	Through flanged valvePN16/25, DN15, kvs0.25, 20mm
VUG015F364S	Through flanged valvePN16/25, DN15, kvs0.25, 20mm

VUG015F374	Through flanged valvePN16/25, DN15, kvs0.16, 20mm
VUG015F374S	Through flanged valvePN16/25, DN15, kvs0.16, 20mm
VUG020F304	Through flanged valvePN16/25, DN20, kvs6.3, 20mm
VUG020F304S	Through flanged valvePN16/25, DN20, kvs6.3, 20mm
VUG025F304	Through flanged valvePN16/25, DN25, kvs10, 20mm
VUG025F304S	Through flanged valvePN16/25, DN25, kvs10, 20mm
VUG032F304	Through flanged valvePN16/25, DN32, kvs16, 20mm
VUG032F304S	Through flanged valvePN16/25, DN32, kvs16, 20mm, Si
VUG040F304	Through flanged valvePN16/25, DN40, kvs25, 20mm
VUG040F304S	Through flanged valvePN16/25, DN40, kvs25, 20mm, Si
VUG050F304	Through flanged valvePN16/25, DN50, kvs40, 20mm
VUG050F304S	Through flanged valvePN16/25, DN50, kvs40, 20mm, Si
VUG065F304	Through flanged valvePN25, DN65, kvs63, 40mm
VUG065F304S	Through flanged valvePN25, DN65, kvs63, 40mm, Si
VUG065F316	Through flanged valvePN16, DN65, kvs63, 40mm
VUG065F316S	Through flanged valvePN16, DN65, kvs63, 40mm, Si
VUG080F304	Through flanged valvePN25/16, DN80, kvs100, 40mm
VUG080F304S	Through flanged valvePN25/16, DN80, kvs100, 40mm
VUG100F304	Through flanged valvePN25/16, DN100, kvs160, 40mm
VUG100F304S	Through flanged valvePN25/16, DN100, kvs160, 40mm
VUG125F304	Through flanged valvePN25, DN125, kvs250, 40mm
VUG125F304S	Through flanged valvePN25, DN125, kvs250, 40mm, Si
VUG150F304	Through flanged valvePN25, DN150, kvs340, 40mm
VUG150F304S	Through flanged valvePN25, DN150, kvs340, 40mm, Si
VUL010F300	Small trough valve; DN10PN16; G1/2A; Kvs=1.6;=%
VUL010F310	Small trough valve; DN16PN16; G1/2A; Kvs=1.0;=%
VUL010F320	Small trough valve; DN10PN16; G1/2A; Kvs=0.63;=%
VUL010F330	Small trough valve; DN10PN16; G1/2A; Kvs=0.40;=%
VUL010F340	Small trough valve; DN10PN16; G1/2A; Kvs=0.16;=%
VUL010F600	Small through valve; DN10PN16; D=15mm; Kvs=1.6;=%
VUL010F610	Small through valve; DN10PN16; D=15mm; Kvs=1.0;=%
VUL010F620	Small through valve; DN10PN16; D=15mm; Kvs=0.63;=%
VUL010F630	Small through valve; DN10PN16; D=15mm; Kvs=0.40;=%
VUL015F300	Small through valve; DN15PN16; G3/4A; Kvs=3.5;=%
VUL015F310	Small through valve; DN15PN16; G3/4A; Kvs=2.5;=%
VUL020F300	Small through valve; DN20PN16; G 1A; Kvs=4.5;=%
VUN015F300	Through valve; fem. threadDN15; kvs=4.0; 8mm;=%;
VUN015F310	Through valve; fem. threadDN15; kvs=2.5; 8mm;=%;
VUN015F320	Through valve; fem. threadDN15; kvs=1.6; 8mm;=%;
VUN015F330	Through valve; fem. threadDN15; kvs=1.0; 8mm;=%;
VUN015F340	Through valve; fem. threadDN15; kvs=0.63; 8mm;=%;
VUN015F350	Through valve; fem. threadDN15; kvs=0.4; 8mm;=%;
VUN020F300	Through valve; fem. threadDN20; kvs=6.3; 8mm;=%;
VUN025F300	Through valve; fem. threadDN25; kvs=10; 8mm;=%;
VUN032F300	Through valve; fem. threadDN32; kvs=16; 8mm;=%;
VUN040F300	Through valve; fem. threadDN40; kvs=22; 8mm;=%;
VUN050F200	Through valve; fem. threadDN50; kvs=40; 8mm; lin.

VUN050F300	Through valve;fem. threadDN50;kvs=28;8mm;=;
VUP040F304	Through flanged valvePN25, DN40,kvs25, 14mm
VUP050F304	Through flanged valvePN25, DN50,kvs40, 25mm
VUP065F304	Through flanged valvePN25, DN65,kvs63, 25mm
VUP080F304	Through flanged valvePN25, DN80,kvs100, 25mm
VUP100F304	Through flanged valvePN25, DN100,kvs160, 40mm
VUP125F304	Through flanged valvePN25, DN125,kvs250, 40mm
VUP150F304	Through flanged valvePN25, DN150,kvs350, 40mm
VUS015F305	Through flanged valvePN40;DN15;Kvs=4.0
VUS015F315	Through flanged valvePN40;DN15;Kvs=2.5
VUS015F325	Through flanged valvePN40;DN15;Kvs=1.6
VUS015F335	Through flanged valvePN40;DN15;Kvs=1.0
VUS015F345	Through flanged valvePN40;DN15;Kvs=0.63
VUS015F355	Through flanged valvePN40;DN15;Kvs=0.40
VUS015F365	Through flanged valvePN40;DN15;Kvs=0.25
VUS015F375	Through flanged valvePN40;DN15;Kvs=0.16
VUS020F305	Through flanged valvePN40;DN15;Kvs=6.3
VUS025F305	Through flanged valvePN40;DN15;Kvs=10
VUS032F305	Through flanged valvePN40;DN15;Kvs=16
VUS040F305	Through flanged valvePN40;DN15;Kvs=25
VUS050F305	Through flanged valvePN40;DN15;Kvs=40
VUS065F305	Through flanged valvePN40;DN15;Kvs=63
VUS080F305	Through flanged valvePN40;DN15;Kvs=100
VUS100F305	Through flanged valvePN40;DN15;Kvs=160
VUS125F305	Through flanged valvePN40;DN15;Kvs=220
VUS150F305	Through flanged valvePN40;DN15;Kvs=320
VUT010F200	Small through valve;DN10PN16;G1/2A;Kvs=1.6;lin
VUT010F210	Small through valve;DN10PN16;G1/2A;Kvs=1.0;lin
VUT010F220	Small through valve;DN10PN16;G1/2A;Kvs=0.63;lin
VUT015F200	Small through valve;DN15PN16;G3/4A;Kvs=3.5;lin
VUT015F210	Small through valve;DN15PN16;G3/4A;Kvs=2.5;lin
VUT020F200	Small through valve;DN20PN16;G 1A;Kvs=4.5;=lin
XAFP100F001	Air flow probe for duct systems
XYE460F001	Demo unit Flexotron 400
XYE460F002	Demo unit Flexotron 800
XYP3F001	Low pressure testing unit;5-500Pa
YZP480F099	SAUTER Vision CenterDVD only
YZP480F200	S.V.C Basic packagemaintenance
YZP480F999	S.V.C Engineering licensewith maintenance
YZP481F200	S.V.C. 100 additionalObjects with maintenance
YZP481F210	S.V.C. 1000 additionalObjects with maintenance
YZP481F220	S.V.C. 10000 additionalObjects with maintenance
YZP481F230	S.V.C. 25000 additionalObjects with maintenance
YZP482F101	SVC Cancellation ofmaintenance contract
YZP482F210	SVC Reinstatement feemaintenance contract
YZP484F200	SAUTER Vision CenterLicense key for VM
YZP484F300	SAUTER Vision CenterData conversion nP32

YZP484F400	SAUTER Vision CenterStudio incl. maintenance
YZP485F201	S.V.C. Energy managementwith maintenace
YZP485F210	SVC Maintenance Modulewith maintenance
YZP485F220	SVC Scenario Managerwith maintenance
YZP486F200	SVC request last versionprec. valid maintenance
YZP487F201	S.V.C. OPC UA Clientwith maintenace